



# TECHNICAL SHEET



# ‘QUATTRO,’





1.



2.



3.



4.

### *display*, Blabla-Cube

1 – S2 . E3 . I2 . B2423 and B2423  
2 – S3 . E1 . I3 . A2403 and B2425

3 – S2 . E2 . I2 . A2406  
4 – S3 . I1 . E3 . A2412 and A2403

# blabla quattro

QUICK ASSEMBLY

 3 people

 60 min\*

 1 163 kg CO2 eq



## DIMENSIONS

|                         |                                        |
|-------------------------|----------------------------------------|
| Exterior dimensions     | 200 x 150 x 217 cm                     |
| Interior dimensions     | 184 x 142 x 206 cm / Height: 198 cm    |
| Weight                  | 635 kg                                 |
| Surface area            | 3 m <sup>2</sup>                       |
| Table dimensions        | 106 x 78 cm                            |
| Table height            | 73 cm                                  |
| Door dimensions         | 90 x 204 cm – 8 mm cushioned Silence   |
| Front window dimensions | 43 x 210 cm – 8 mm cushioned Silence   |
| Rear window dimensions  | 69 x 210 cm – 8 mm cushioned Silence   |
| Bench dimensions        | 138 x 50 x 85 cm (seated height: 45cm) |

## MATERIALS

|                  |                                           |
|------------------|-------------------------------------------|
| Outside covering | Compressed wood PPSMHD or 100% PES fabric |
| Inside coating   | 100% PES fabric                           |
| Structure        | Solid wood frame PEFC                     |
| Floor covering   | 100% Polyester carpet                     |

## LOGISTICS

1 lectern: 145 x 225 x 220 cm  
Gross weight: 760 kg  
Volume: 7.2 m<sup>3</sup>

## TECHNICAL DETAILS

|                            |                                                                                   |
|----------------------------|-----------------------------------------------------------------------------------|
| Lighting                   | 2 LED Spot 800 lm                                                                 |
| Illumination range         | Adjustable from 100 to 700 lux                                                    |
| Ventilation                | Acoustic 13 dB - Flow 750 m <sup>3</sup> /h                                       |
| Air change time            | 35 seconds                                                                        |
| Connectivity               | 2 PC 220v / 1 USB-A, 1 USB-C, 1 RJ45<br>Touch switch for ventilation and lighting |
| Power use                  | 0,025 kWh                                                                         |
| Cable length at cabin exit | 3 meters                                                                          |
| Door magnet strength       | 50 kg                                                                             |
| Mobile base                | 13 casters and 8 integrated adjustment screws                                     |
| Warranty                   | 3 years: Structure - 2 years: Equipment                                           |

\* Excluding handling

# CONFIGURATION DETAILS

## 1 – BOOTH REAR




### *Glass rear*

Total transparency  
72 x 205 cm – 2 Coated glass 8mm Silence



### *Full rear*

Cosy and intimate  
2 fabric panels 72 x 205 cm



## 2 – CONFIGURATION OPTIONS




### *External writing board*

Built-in ideas board  
Magnetic painted steel  
138 x H107 cm



### *Fabric exterior covering*

Colourful inside and outside  
Choose the fabric of your choice for your booth



### *Screen equipment fixed or adjustable \**

Even better connectivity  
Screen support + 1 dedicated 220v socket  
Cable pass for greater connectivity



### *Occupancy signal*

360-degree visibility  
Red LED Spotlight



### *Induction charger*

Recharge your batteries !  
Invisible, and integrated into the table





*blabla*  
- CUBE -



[www.blabla-cube.com](http://www.blabla-cube.com)

[contact@blabla-cube.com](mailto:contact@blabla-cube.com)

ZA de la Plaine de Clairac

35 Rue Louis Blériot

26760 - BEAUMONT-LÈS-VALENCE - France

TEL : +33.04.75.78.44.44



**IDET**